




Semiconductor Photomask and Wafer Handling Products Catalog



Pozzetta Global Customer Base

Pozzetta Products, Inc., was founded in 1994 to meet the growing need to safely store and transport critical devices around the world. Together with the sub-micron cleaning capability of Pozzetta Micro Clean, the company forms one of the world's premier critical packaging providers. Utilizing operations within one of the industry's most dedicated manufacturing facilities, Pozzetta offers a comprehensive range of critical device handling solutions, and research and development capabilities to meet the increasingly sophisticated product-and-service requirements of the global semiconductor and electronics industries.

Companies around the world trust Pozzetta to create secure environments for the handling, storage, and transport of photomasks, reticles, and wafers. Pozzetta will protect your valuable products from particles, ESD damage, outgassed components, and high costs.

Pozzetta Products
3121 S Platte River Dr
Englewood, CO 80110
303.783.3172
www.pozzetta.co

PM300 Series Photomask Compact




PM300NP - Anti-Static Polypropylene. This 3-inch translucent mask package offers the durability and impact strength of polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM300NP06	0.060"	Polypropylene	Clear
PM300NP09	0.09	Polypropylene	Clear



PM300ETA - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM300ETA06	0.060"	PP/IDP	Orange
PM300ETA09	0.090"	PP/IDP	Orange



PM300CP - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.


Part Number	Mask Thickness	Material	Color
PM300CP06	0.060"	PP/IDP	Black
PM300CP09	0.090"	PP/IDP	Black

PM400 Series Photomask Compact




PM400NP - Anti-Static Polypropylene. This 4-inch translucent mask package offers the durability and impact strength of polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM400NP06	0.060"	Polypropylene	Clear
PM400NP09	0.090"	Polypropylene	Clear
PM400NP12	0.120"	Polypropylene	Clear



PM400ETA - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM400ETA06	0.060"	PP/IDP	Orange
PM400ETA19	0.090"	PP/IDP	Orange
PM400ETA12	0.120"	PP/IDP	Orange



PM400CP - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.


Part Number	Mask Thickness	Material	Color
PM400CP09	0.060"	PP/IDP	Black
PM400CP09	0.090"	PP/IDP	Black
PM400CP09	0.120"	PP/IDP	Black

PM500 Series Photomask Compact




PM500NP - Anti-Static Polypropylene. This 5-inch translucent mask package offers the durability and impact strength of polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM500NP06	0.060"	Polypropylene	Clear
PM500NP09	0.09	Polypropylene	Clear
PM500NP12	0.120"	Polypropylene	Clear



PM500ETA - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.


Part Number	Mask Thickness	Material	Color
PM500ETA06	0.060"	PP/IDP	Orange
PM500ETA19	0.190"	PP/IDP	Orange
PM500ETA12	0.120"	PP/IDP	Orange



PM500CP - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM600CP09	0.090"	PP/IDP	Black
PM600CP12	0.120"	PP/IDP	Black
PM600CP15	0.150"	PP/IDP	Black


PL500 Series Photomask Compact



Standard

PL500 standard will hold a 5" x 5" x .090" mask without pellice


Part number	Material	Static Property
PL500-10009	AS 1000 Clear ABS	Anti-Static
PL500-20009	AS 1000 Amber ABS	Anti-Static
PL500-30009	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL500-40009	Clear Bayon	Anti-Static



Bottom Pellice

PL bottom pellice will hold a 6" x 6" x .090", .120", .150" or .250" mask with space for a bottom pellice


Part number	Material	Static Property
PL500-10109	AS 1000 Clear ABS	Anti-Static
PL500-20109	AS 1000 Amber ABS	Anti-Static
PL500-30109	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL500-40109	Clear Bayon	Anti-Static



Top Pellice

PL Top pellice will hold a 6" x 6" x .090", .120", .150" or .250" mask with space for top pellice

Part number	Material	Static Property
PL500-11009	AS 1000 Clear ABS	Anti-Static
PL500-21009	AS 1000 Amber ABS	Anti-Static
PL500-31009	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL500-41009	Clear Bayon	Anti-Static




Top and bottom pellice

PL Top and bottom pellice will hold a 6" x 6" x .090", .120", .150" or .250" mask with space for top and bottom pellice

Part number	Material	Static Property
PL500-11109	AS 1000 Clear ABS	Anti-Static
PL500-21109	AS 1000 Amber ABS	Anti-Static
PL500-31109	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL500-41109	Clear Bayon	Anti-Static

PL655 Series Photomask Compact




Top and bottom pellicle 5" x 5"

PL655 top and bottom pellicle will hold a 5" x 5" x .090" mask with top and bottom pellicle, stackable



Part Number	Material	Static Property
PL655-11109	AS 1000 Clear ABS	Anti-Static
PL655-21109	AS 1000 Amber ABS	Anti-Static
PL655-31109	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL655-41109	Clear Bayon	Anti-Static

PL900




Standard

PL900 will hold a 9" x 9" x .120", .220" or .350" mask without pellicle



Part Number	Material	Static Property
PL900-20012	AS 1000 Amber ABS	Anti-Static
PL900-40012	AS 1000 Clear ABS	Anti-Static
PL900-20035	AS 1000 Amber ABS	Anti-Static
PL900-10012SP	Clear Polycarbonate	

PL535




Standard

PL535 will hold a
3" x 5" x .090" mask without pellicle

Part Number	Material	Static Property
PL535-10009	AS 1000 Clear ABS	Anti-Static
PL535-20009	AS 1000 Amber ABS	Anti-Static
PL535-30009	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL535-40009	Clear Bayon	Anti-Static


PM350CP-UT

- Secure environment for 3x5 photomask with pellicles
- Black a/s Polypropylene
Inherently dissipative polymer (IDP) for anti-static properties
- Positive locking latch with Safety Clip Close
- Minimal contact with mask
- Space for wide field guides
- Notched top rib allows for secure stacking
- Precision cleaned by Pozzetta Micro Clean




PM350CP-UT 3x5
Photomask Compact

PM600 Series Photomask Compact




PM600NP - Anti-Static Polypropylene. This 6-inch translucent mask package offers the durability and impact strength of polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM600NP09	0.090"	Polypropylene	Clear
PM600NP12	0.120"	Polypropylene	Clear
PM600NP15	0.150"	Polypropylene	Clear



PM600ETA - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.


Part Number	Mask Thickness	Material	Color
PM600ETA09	0.090"	PP/IDP	Orange
PM600ETA12	0.120"	PP/IDP	Orange
PM600ETA12	0.150"	PP/IDP	Orange



PM600CP - Static dissipative thermoplastic polymer blended with polypropylene. Cleanroom manufactured and packaged in cleanroom bags.

Part Number	Mask Thickness	Material	Color
PM600CP09	0.090"	PP/IDP	Black
PM600CP12	0.120"	PP/IDP	Black
PM600CP15	0.150"	PP/IDP	Black


PL600 Series Photomask Compact



Standard

PL standard will hold a 6" x 6" x.090", .120", .150" or .250" mask without pellice


Part number	Material	Static Property
PL600-100xx	AS 1000 Clear ABS	Anti-Static
PL600-200xx	AS 1000 Amber ABS	Anti-Static
PL600-300xx	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL600-400xx	Clear Bayon	Anti-Static



Bottom Pellice

PL bottom pellice will hold a 6" x 6" x.090", .120", .150" or .250" mask with space for a bottom pellice


Part number	Material	Static Property
PL600-101xx	AS 1000 Clear ABS	Anti-Static
PL600-201xx	AS 1000 Amber ABS	Anti-Static
PL600-301xx	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL600-401xx	Clear Bayon	Anti-Static



Top Pellice

PL Top pellice will hold a 6" x 6" x.090", .120", .150" or .250" mask with space for top pellice

Part number	Material	Static Property
PL600-110xx	AS 1000 Clear ABS	Anti-Static
PL600-210xx	AS 1000 Amber ABS	Anti-Static
PL600-310xx	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL600-410xx	Clear Bayon	Anti-Static




Top and bottom pellice

PL Top and bottom pellice will hold a 6" x 6" x.090", .120", .150" or .250" mask with space for top and bottom pellice

Part number	Material	Static Property
PL600-111xx	AS 1000 Clear ABS	Anti-Static
PL600-211xx	AS 1000 Amber ABS	Anti-Static
PL600-311xx	ESD Black Carbon-Filled Polycarbonate	Static Dissipative
PL600-411xx	Clear Bayon	Anti-Static


PZT Series Photomask Compact

The PZT series photomask package creates a secure environment for photomasks and reticles with pellicles. The compact securely positions and protects the mask with minimal contact. Features include: slide action latch, long life hinges, stackable, easy open and close, and excellent access for insertion or removal of masks. Available in a variety of materials. Cleanroom manufactured and packaged by Pozzetta Micro Clean.




PZT600-41125AU

- 6 x 6 x .250 mask
- Built in edge support for minimum mask contact
- Clear anti-static bayon
- Angled standoff for strength and cleanliness




PZT600-41125ES

- 6 x 6 x .250 mask
- Amber Bayon edge support pins for easy locating
- Clear anti-static bayon



PZT600-41125

- 6 x 6 x .250 mask
- HDPE support pins
- Clear anti-static bayon



PZT600-71125AU


- 6 x 6 x .250 mask
- Built in edge support for minimum mask contact
- Clear Olefin Copolymer
- Angled standoff for strength and cleanliness

PLS Series Photomask Compact

The PLS series photomask package creates a sealed, secure environment for photomasks and reticles with pellicles. The compact securely positions and protects the mask with minimal contact. Features include: positive locking latch, seal gasket, removable labels, long-life hinges, stackable, easy open and close, and excellent access for insertion or removal of masks. Available in conductive ES 399 black carbon-filled polycarbonate, and clear Bayon. Cleanroom manufactured and packaged.




PLS600-41125AU



PLS600-31125AU

PLS600-11125AU	6x6x.250 mask	Clear anti-static ABS, built in edge support, gasket seal
PLS600-31125AU	6x6x.250 mask	Black Polycarbonate, anti-static, built in edge support, gasket seal
PLS600-31125	6x6x.250 mask	Black Polycarbonate, anti-static , molded-in standoff pins, gasket seal
PLS600-31112	6x6x.120 mask	Black Polycarbonate, anti-static, molded-in standoff pins, gasket seal
PLS655-31109	5x5x.090 mask	Black Polycarbonate, anti-static, molded-in standoff pins, gasket seal
PLS655-31109AU	5x5x.090 mask	Black Polycarbonate, anti-static, built in edge support, gasket seal
PLS600-41125AU	6x6x.250 mask	Clear anti-static Bayon, built in edge supports, gasket seal
PLS600-41125	6x6x.250 mask	Clear anti-static Bayon, molded-in standoff pins, gasket seal
PLS600-41112	6x6x.120 mask	Clear anti-static Bayon, molded-in standoff pins, gasket seal
PLS655-41109AU	5x5x.090 mask	Clear anti-static Bayon, molded-in standoff pins, gasket seal
PLS600-71125AU	6x6x.250 mask	Blue Olefin, anti-static, built in edge support, gasket seal


P1



The P1 individual mask box is engineered to provide a 6" x.250" square mask with a secure environment that is very low in particle generation, and design features that are conducive to cleaning and recleaning.

Part Number	Mask Thickness	Material	Static Property
P1-600-71125AU	6x6x.250	Olefin	Anti-static
P1-600-51125AU	6x6x.250	Clear Bayon	Anti-static

- No latch, no hinge design for low particle generation
- Easy to clean due to less internal components
- Angled standoffs securely hold each photomask without touching the mask surface leaving no marks or abrasions
- Single material design. By not using more than one material in each box we reduce outgassing variables
- Precision cleaning by Pozzetta Micro Clean delivers you a cleaner part



One piece angled standoff

P2



The P2 individual mask box is engineered to provide a secure environment for a 6025 mask with low particle generation, easy to clean, design features



Part Number	Material	Static Property
P2-600-21125AU	AS 1000 Amber ABS	Anti-Static
P2-600-41126AU	Clear Bayon	Anti-Static
P2-600-71125AU	Olefin	Anti-Static

- Easy to clean due to less internal components
- Angled standoffs securely hold each photomask without touching the mask surface leaving no marks or abrasions
- Single material design. By not using more than one material in each box we reduce outgassing variables
- Precision cleaning by Pozzetta Micro Clean delivers you a cleaner part



PH700 Series Photomask Compact


The PH700 package secures both 7" square and 7.25" round substrates. All packages securely position and protect masks with minimal contact. Features include: positive locking latch, long life hinges, stackable, easy open and close, and excellent access for insertion or removal of masks. Available in multiple materials. Cleanroom manufactured and packaged.



Standard

PH700 standard will hold a 7" square or 7.25" round x.120" or .150" mask without pellicle


Part Number	Material	Static Property
PH700-200xx	AS 1000 Amber ABS	Anti-Static
PH700-400xx	Clear Bayon	Anti-Static



Bottom Pellicle

PH700 bottom pellicle will hold a 7" square or 7.25" round x.120" or .150" mask with space for a bottom pellicle


Part Number	Material	Static Property
PH700-201xx	AS 1000 Amber ABS	Anti-Static
PH700-401xx	Clear Bayon	Anti-Static



Top Pellicle

PH700 top pellicle will hold a 7" square or 7.25" round x.120" or .150" mask with space for a top pellicle

Part Number	Material	Static Property
PH700-210xx	AS 1000 Amber ABS	Anti-Static
PH700-410xx	Clear Bayon	Anti-Static




Top and bottom pellicle

PH700 top pellicle will hold a 7" square or 7.25" round x.120" or .150" mask with space for a top and bottom pellicle

Part Number	Material	Static Property
PH700-211xx	AS 1000 Amber ABS	Anti-Static
PH700-411xx	Clear Bayon	Anti-Static


RC600 Reticle Cassette for Canon Stepper



RC600 Reticle Cassette

- Protects 6 x 6 x .250 photomasks
- Designed to minimize electrostatic discharge. ABS IDP provides permanent ESD protection
- Available with a single or dual latch
- Operates with Canon Steppers automation
- Precision cleaning by Pozzetta Micro Clean delivers you a cleaner part.

The first innovation to be introduced as a result of the Pozzetta-Gentech joint venture is the reticle shipper case (see image 2). The reticle shipper case is designed to securely hold and encapsulate the reticle cassette during shipment. This eliminates shipping reticles in a standard shipping box then switching the reticle into a reticle cassette at the customer's site. As a result of using the reticle stepper case, the reticle has less risk of damage due to handling, stays cleaner and the cost of a standard shipping box is avoided. The new Pozzetta Gentech RS600 reticle shipper case gives mask makers the ability to ship reticles directly to their customers.



RC600 Shipper Case


RSP Reticle SMIF Pods



RSP 150 SMIF Pod


- For 6" x 6" x .250" reticle
- Metal free attachment eliminates reticle scratching
- Robotic handling flange with 7 holes for easier manual handling
- Reticle Retainer system provides ESD path to ground and enhanced strength
- Low outgassing polycarbonate reduces the number of outgassing variables
- Clear PC window provides visibility to inspect reticle location and barcode

- Accommodates 6" x 6" x .250" mask.
- Haze Control: E80 resin has the lowest levels of SO4 and NH4 of any Inherently Dissipative Polymer
- Door open/close rod mechanism is made of plastic with high sliding performance resin, which reduces particle generation
- Plastic PEEK screws used for easy disassembly/exchange of parts and easier maintenance of sliding part
- Proprietary design of reticle support and retainer make contact with only the reticle edge
- Metal-free attachment eliminates reticle scratching
- Clear shell window provides visibility to inspect reticle location and barcode




RSP 200 SMIF Pod

Wafer Carriers, Handles and Shipping Boxes



Dainichi-Shoji and Pozzetta are both manufacturers committed to meeting the stringent requirements of our demanding industry. Dainichi-Shoji incorporates three decades of know-how and experience into the production of close tolerance wafer carriers. Pozzetta is proud to be a Dainichi authorized distributor in the United States because of our shared vision and commitment to helping customers succeed by reducing particles, preventing ESD, reducing outgassing and reducing costs.

300mm Wafer FOUP



SF300-02

- SEMI standard compliant
- Low particle generation
- Precise construction for interoperability
- Low outgassing materials
- ESD safe wafer supports

Capacity	25
Overall Dimensions	452mm x 353mm x 300mm
Pocket spacing	10mm

300mm Wafer Open Cassette



CR300U-02LM-R

- SEMI standard compliant
- Selected materials provide dimensional accuracy and rigidity, less outgassing and heat resistance

Capacity	25
Overall Dimensions	332mm x 310mm x 300mm
Pocket spacing	10mm

300mm Wafer Open Cassette




CR300U-03-B3NT

- SEMI standard compliant
- Selected materials provide dimensional accuracy and rigidity, less outgassing and heat resistance

Capacity	13
Overall Dimensions	330mm x 330mm x 186mm
Pocket spacing	10mm

300mm Wafer Cassette





CR300L-01LF

- PFA material
- Designed for use in spin-rinse dryer
- Low profile design allows for wafer exposure
- Precise construction for interoperability
- Enhanced stability for horizontal wafer handling

Capacity	25
Overall Dimensions	350mm x 217mm x 260mm
Pocket spacing	7mm
Pocket Flat	2mm



300mm Wafer Cassette Storage Box



- Holds 1 CR300L-01LF PFA cassette or CR300U-02LM-R
- Holds cassette at 5 degree angle from horizontal
- Clear polycarbonate
- dual latches securely close box

Overall Dimensions	420mm x 420mm x 370mm
Material	Polycarbonate

Bishop 3 (Conductive high performance resin)




CR200A-02B3-H

• 200mm

- H-Shaped end wall for equipment interface
- E-Shaped handle on end wall
- Wash slots in side walls
- Excellent heat resistance and rigidity

Capacity	25
Overall Dimensions	234mm x 203mm x 219mm
Pocket spacing	6.35mm
Pocket Flat	2.0mm

PEEK +CF(Conductive high performance resin)




CR200A-09-01W-PKCF

• 200mm

- H-Shaped end wall for equipment interface
- Solid end wall
- Wash slots open in bottom half of side walls
- Excellent heat resistance and rigidity
- Additional pocket with flat of 2.17mm for dummy wafer

Capacity	25 + 1
Overall Dimensions	235mm x 209mm x 219mm
Pocket spacing	6.35mm
Pocket Flat	3.0mm

PFA





CR200A-AMF

• 200mm

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls for cleaning and drying efficiency

Capacity	26
Overall Dimensions	235mm x 208mm x 215mm
Pocket spacing	6.35mm
Pocket Flat	2.0mm

PFA





CR200G-01LF

• 200mm

- H-Shaped end wall for equipment interface
- Solid end wall
- Wash slots in side walls for cleaning and drying efficiency

Capacity	25
Overall Dimensions	234mm x 203mm x 219mm
Pocket spacing	6.35mm
Pocket Flat	1.8mm

PFA





CR200L-01LF-H

- **200mm**
- H-Shaped end wall for equipment interface
- E-Shaped handle on end wall
- Wash slots in end walls

Capacity	25
Overall Dimensions	234mm x 203mm x 219mm
Pocket spacing	6.35mm
Pocket Flat	1.8mm

Bishop 3 (Conductive high performance resin)



CR200F-10-02-B8-EX - REDUCED CAPACITY

- **200mm**
- H-Shaped end wall for equipment interface
- Wash slots in bottom half of side walls
- Wide Pocket spacing for thick wafers

Capacity	13
Overall Dimensions	235mm x 209mm x 219mm
Pocket spacing	12.8mm
Pocket Flat	

Antistatic Polypropylene




CR200A-APA

- **200mm**
- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in bottom half of side walls

Capacity	26
Overall Dimensions	235mm x 208mm x 215mm
Pocket spacing	6.35mm
Pocket Flat	2.0mm

Antistatic Polypropylene




CR200G-02PA-H

- **200mm**
- H-Shaped end wall for equipment interface
- E-shaped handle on end wall
- Wash slots in bottom half of side walls


Capacity	25
Overall Dimensions	235mm x 203mm x 219mm
Pocket spacing	6.35mm
Pocket Flat	1.8mm

200mm Handles


PFA



CH8-3 (L=133)




CH8-3L (L=133)



CH200-HP (L=170)





CH8-3L



CH200-HP

PFA





CR150A-CLF

• **150mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in end walls

Capacity	25
Overall Dimensions	1784mm x 143mm x 164mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Bishop 3 (Conductive high performance resin)





CR150A-10B3-CW

• **150mm**

- H-Shaped end wall for equipment interface
- Wash slots in bottom half of side walls
- Wide Pocket spacing for thick wafers
- Excellent heat resistance for high temperature use
- Card holder on solid end wall

Capacity	12
Overall Dimensions	177mm x 5mm x 144mm
Pocket spacing	3.81mm
Pocket Flat	??

PFA





CR150A-04LI

• **150mm**

- H-Shaped end wall for equipment interface
- Wash slots in side walls for cleaning and drying
- Robotic flanges on solid end wall

Capacity	25
Overall Dimensions	178mm x 143mm x 171mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR150A-04LF-

• **150mm**

- H-Shaped end wall for equipment interface
- Wash slots in side walls for cleaning and drying
- Solid end wall

Capacity	25
Overall Dimensions	178mm x 143mm x 171mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR150A-04LF-1F

• **150mm**

- H-Shaped end wall for equipment interface
- Wash slots in side walls for cleaning and drying
- Solid end wall

Capacity	25
Overall Dimensions	178mm x 143mm x 171mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR150A-OL

• **150mm**

- H-Shaped end wall for equipment interface
- Wash slots in side walls for cleaning and drying
- Solid end wall

Capacity	25
Overall Dimensions	178mm x 143mm x 165mm
Pocket spacing	4.76mm
Pocket Flat	1.3mm

PFA





CR150A-DMF / CR150A-EMF

• **150mm**

- H-Shaped end wall for equipment interface
- U-Shaped end wall
- Wash slots in side walls for cleaning and drying

	CR150A-DMF	CR150A-EMF
Capacity	12	20
Overall Dimensions	178mm x 143mm x 164mm	178mm x 143mm x 164mm
Pocket spacing	9.19mm	6.00mm
Pocket Flat	3.4mm	2.5mm

PFA



CR150L-ALF

CR150L-ALF



CR150L-ALF / CR150L-01LF

• **150mm**

- H-Shaped end wall for equipment interface
- Open side wall for increased cleaning and drying efficiency
- Light weight for Easy handling

	CR150L-ALF	CR150L-01LF
Capacity	25	26
Overall Dimensions	178mm x 147mm x 106mm	178mm x 147mm x 106mm
Pocket spacing	4.76mm	4.76mm
Pocket Flat	1.00mm	1.00mm

PFA





CR150A-PMF

• **150mm**

- H-Shaped end wall for equipment interface
- Solid end wall
- Wash slots in side walls for cleaning and drying

Capacity	25
Overall Dimensions	178mm x 144mm x 164mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR150A-RMF

• **150mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side wall for cleaning and drying

Capacity	25
Overall Dimensions	178mm x 144mm x 165mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR150L-03LF-V

• **150mm**

- H-Shaped end wall for equipment interface
- Open side walls for increased cleaning and drying efficiency
- Half Pocket spacing for 50 wafer handling

Capacity	50
Overall Dimensions	178mm x 143.5mm x 106mm
Pocket spacing	2.38mm
Pocket Flat	0.80mm

PFA





CR150L-06H-LF

• **150mm**

- H-Shaped end wall for equipment interface
- Open side walls for increased cleaning and drying efficiency
- E shaped handle on end wall

Capacity	26
Overall Dimensions	178mm x 148mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.40mm

Antistatic Polypropylene





CR150A-EPA

• **150mm**

- H-Shaped end wall for equipment interface
- Solid End Wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	178mm x 143mm x 135mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene





CR150A-FPA

• **150mm**

- H-Shaped end wall for equipment interface
- Solid end wall
- Wash slots in end walls

Capacity	25
Overall Dimensions	178mm x 143mm x 165mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene





CR150A-GPA

• **150mm**

- H-Shaped end wall for equipment interface
- E-Shaped handle on end wall
- Wash slots in end walls

Capacity	25
Overall Dimensions	178mm x 143mm x 165mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene





CR150A-MPJ

• **150mm**

- H-Shaped end wall for equipment interface
- Solid End Wall
- Wash slots in side walls

Capacity	50
Overall Dimensions	178mm x 143mm x 164mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene





CR150A-MPA-W

• 150mm

- H-Shaped end wall for equipment interface
- Solid end walls
- No wash slots in side walls

Capacity	25
Overall Dimensions	178mm x 143mm x 164mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene




CR150A-MPA-W-

• 150mm

- H-Shaped end wall for equipment interface
- Robotic flanges on solid end wall
- Solid end wall
- No wash slots in end walls

Capacity	25
Overall Dimensions	178mm x 143mm x 164mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene



CR150A-PPA


• 150mm

- H-Shaped end wall for equipment interface
- U-Shaped end wall
- Wash slots in end walls

Capacity	25
Overall Dimensions	178mm x 143mm x 165mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

150mm Handles

PFA



CH6-3 (L=125)





CH6-3L (L=185)



CH6-3

PEEK





CR125A-CBS

• **125mm**

- H-Shaped end wall for equipment interface
- Solid End Wall
- Wash slots in side walls
- Excellent heat resistance and rigidity

Capacity	25
Overall Dimensions	152mm x 144mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PEEK





CR125A-CBS-H

• **125mm**

- H-Shaped end wall for equipment interface
- E-shaped handle on end wall
- Wash slots in side walls
- Excellent heat resistance and rigidity

Capacity	25
Overall Dimensions	152mm x 144mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR125A-AMF

• **125mm**

- H-Shaped end wall for equipment interface
- Solid end wall
- Wash slots in end walls

Capacity	25
Overall Dimensions	152mm x 143mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR125A-BMF-H

• **125mm**

- H-Shaped end wall for equipment interface
- E-shaped handle on end wall
- Wash slots in end walls

Capacity	25
Overall Dimensions	152mm x 143mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR125A-HMF

• **125mm**

- H-Shaped end wall for equipment interface
- Solid End Wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	152mm x 1435mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR125A-JMF

• **125mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	154mm x 143mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR125H-MF

• **125mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- No wash slots in side walls

Capacity	25
Overall Dimensions	152mm x 142mm x 138mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR125-MMF

• **125mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	152mm x 142mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.78mm

PFA





CR125-OMF

• **125mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	153mm x 142mm x 138mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR125L-26LF

• **125mm**

- H-Shaped end wall for equipment interface
- Open side walls
- Light weight for easy handling

Capacity	26
Overall Dimensions	141 mm x 143mm x 95mm
Pocket spacing	4.76mm
Pocket Flat	1.0mm

Antistatic polypropylene




CR125A-PPA

• **125mm**

- H-Shaped end wall for equipment interface
- Solid End wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	152mm x 143mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.53mm

Antistatic polypropylene





CR125A-PPA-1

• **125mm**

- H-Shaped end wall for equipment interface
- Solid end wall
- No wash slots in side walls

Capacity	25
Overall Dimensions	152mm x 143mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic polypropylene





CR125A-PPA-1H

• **125mm**

- H-Shaped end wall for equipment interface
- E-shaped handle on end wall
- No wash slots in side walls

Capacity	25
Overall Dimensions	152mm x 143mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.53mm

Antistatic polypropylene



CR125A-08PA

• **125mm**

- H-Shaped end wall for equipment interface
- Wash slots in side walls
- Solid end wall


Capacity	25
Overall Dimensions	152mm x 143mm x 146mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

125mm Handles


PFA



CH5-3 (L=125)



CH5-3L (L=164)



CH5-3L

STAT FREE-1(antistatic PBT alloy)




CR100C-02SF

• 100mm

- H-Shaped end wall for equipment interface
- Solid End wall
- No wash slots in side walls

Capacity	25
Overall Dimensions	126mm x 142mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.80mm

PFA




CR100A-AMF

• 100mm

- H-Shaped end wall for equipment interface
- Solid End wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	125mm x 143mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA




CR100A-DMF

• 100mm

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	125mm x 143mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene



CR100C-APA (

• 100mm


- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	125mm x 142mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene



CR100C-CPA




• **100mm**


- H-Shaped end wall for equipment interface
- Solid end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	125mm x 142mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.80mm

Antistatic Polypropylene



CR100C-DPA (




• **100mm**


- H-Shaped end wall for equipment interface
- Manual handle on end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	125mm x 142mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

Antistatic Polypropylene



CR100C-01PA-W (†




• **100mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- No wash slots in side walls


Capacity	25
Overall Dimensions	126mm x 142mm x 114mm
Pocket spacing	4.76mm
Pocket Flat	1.80mm

100mm Handles

PFA




CH4-3 (L=125)



CH4-3

PFA





CR75C-01LF

• **75mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	94mm x 142mm x 83mm
Pocket spacing	4.76mm
Pocket Flat	1.80mm

PFA blended with carbon





CR75-AFB

• **75mm**

- H-Shaped end wall for equipment interface
- Solid End wall
- No wash slots in side walls

Capacity	25
Overall Dimensions	94mm x 142mm x 83mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm

PFA





CR055-50-01

• **55mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	50
Overall Dimensions	72mm x 145mm x 60mm
Pocket spacing	2.48mm
Pocket Flat	0.64mm

PFA





CR50A-01LF

• **50mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	68mm x 143mm x 59mm
Pocket spacing	4.76mm
Pocket Flat	1.02mm

PFA



CR50C-MF



• **50mm**

- H-Shaped end wall for equipment interface
- U-shaped end wall
- No wash slots in side walls

Capacity	25
Overall Dimensions	68mm x 142mm x 59mm
Pocket spacing	4.76mm
Pocket Flat	1.02mm

Carriers for square substrates

PFA





CR125N-MF-WH

• **125mm**

- Accommodates 125mm square substrate
- H-Shaped end wall for equipment interface
- E-shaped handle on end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	152mm x 143mm x 140mm
Pocket spacing	4.76mm
Pocket Flat	2.38mm

PFA




CR75C-02LF

• **80mm**


- Accommodates 80mm square substrates
- H-Shaped end wall for equipment interface
- U-shaped end wall
- Wash slots in side walls

Capacity	25
Overall Dimensions	94mm x 142mm x 85mm
Pocket spacing	4.76mm
Pocket Flat	1.52mm


Side Rail Carrier



FPA-001-PP



Assembly Sample



**STAT FREE-1 (antistatic PBT alloy)
(non-std. color sample)**




**Black conductive PEEK
(non-std color sample)**

- Customizable carrier
- Connecting 2 side rails and spacers allows carrier to accommodate various substrate sizes
- Variety of materials available
- Capacity - 30
- Overall Size 212mm x 82mm

200mm Storage Boxes




Non-std Color with
Traveler



Box with Card Case
BX200-02NV-T



TR200-H6



BX200DS-PA-TR
(non-std. color sample)


BX200DS-PA-TR Antistatic Polypropylene

BX200DS-PB-TR Conductive Polypropylene

Capacity 1 200mm carrier
Overall Dimensions 300mm x 300mm x 260mm

- Bottom of box plane at 5 degree angle
- Wafers in the carrier rest on back sides
- Stackable
- TR200-H6 can be attached to box top

STAT FREE-2 (antistatic ABS alloy)



BX200-12-C004
(non-std. color sample)

Capacity 1 200mm carrier
Overall Dimensions 286mm x 280mm x 259mm

- Bottom of box plane at 4 degree angle
- Wafers in the carrier rest on back sides
- 3 hinges and 1 snap latch on front
- Stackable
- Card holder on top surface of box

Antistatic Polypropylene




BX200H-PA


Capacity 1 200mm carrier
Overall Dimensions 266mm x 270mm x 257mm

- Bottom of box plane at 5 degree angle
- Wafers in the carrier rest on back sides
- 2 hinges and 1 snap latch on front

150mm Storage Boxes



BX150-PA
Antistatic Polypropylene



BX150-NV
(non-std. color sample
STAT FREE-2
(antistatic ABS alloy

Capacity 1 150mm carrier
Overall Dimensions 216mm x 196mm x 194mm

- Bottom of box plane at 5 degree angle
- Wafers in the carrier rest on back sides
- Separate box top and bottom

Antistatic Polypropylene



BX150H-PA

Capacity 1 150mm carrier
Overall Dimensions 205mm x 200mm x 190mm

- Bottom of box plane at 5 degree angle
- Wafers in the carrier rest on back sides
- Separate box top and bottom

150mm Storage Boxes



BX150-09-C001-PB
Conductive Polypropylene

Capacity 1 150mm carrier
Overall Dimensions 220mm x 228mm x 189mm

- Conductive Polypropylene
- Bottom of box plane at 5 degree angle
- Wafers in the carrier rest on back sides
- 2 hinges and 1 snap latch on front



BX150W-01-SF
STAT FREE-1 (antistatic PBT alloy)

Capacity 2 150mm carrier
Overall Dimensions 428mm x 249mm x 185mm

- Wafers in the carrier rest on back sides
- 2 hinges
- Stackable



BX150W-02-PA
Antistatic Polypropylene

Capacity 2 150mm carrier
Overall Dimensions 425mm x 242mm x 209mm

- Bottom of box plane at 5 degree angle
- Wafers in the carrier rest on back sides
- 2 hinges and 2 latches
- Stackable




BX150W-PA-2F
Antistatic Polypropylene

Capacity 2 150mm carrier
Overall Dimensions 435mm x 250mm x 296mm

- Separate top and bottom cover
- Card holder on top surface of box
- Stackable

125mm Storage Boxes



BX125-PA
Antistatic Polypropylene



BX125-NV
STAT FREE-1 (Antistatic PBT alloy)

Capacity 1 125mm carrier
Overall Dimensions 172mm x 182mm x 165mm

- Bottom of box plane at 5 degree angle
- Wafers in the carrier rest on back sides
- Separate top and bottom cover
- Card holder on top surface of box
- Stackable



BX125-03-PA
Antistatic Polypropylene

Capacity 1 125mm carrier
Overall Dimensions 209mm x 226mm x 205mm

- Bottom of box plane at 13 degree angle
- Wafers in the carrier rest on back sides
- 2 hinges and 1 latch
- Stackable


Storage Boxes



BX125DSW-PA
Antistatic Polypropylene

Capacity 1 125mm carrier
Overall Dimensions 377mm x 237mm x 205mm

- Bottom of box plane at 13 degree angle
- Wafers in the carrier rest on back sides
- 2 hinges and 1 latch
- Stackable




BX00-PA-P3-P4
Antistatic Polypropylene

Capacity 1 100mm carrier
Overall Dimensions 150mm x 188mm x 138mm

- Separate box top and bottom
- Stackable

Multiple Wafer Carrier Storage Boxes




BX28-PP

Capacity 6 125mm carriers OR 4 150mm carriers
Overall Dimensions 510mm x 420mm x 210mm


- Bottom of box plane angled
- Stackable

Single Wafer Shippers



PH1200WS-1112
300mm Shipper

- Air-tight with gasket
- Fab qualified polycarbonate material has low outgassing characteristics and excellent impact strength
- Very low organic contamination
- Excellent access for insertion or removal of wafers
- Compact and stackable
- Design allows for positive open and close
- Wafer cushions securely retain the wafer to minimize particles



PH800WS-1116
200mm Shipper



PH800WS-3116
200mm Shipper


- Securely positions and protects one wafer face up or face down with minimal wafer contact
- Fab qualified polycarbonate material has low outgassing characteristics and excellent impact strength
- Convenient tweezers slot locations provide excellent access for insertion or removal of wafers
- Compact and stackable
- Single latch design allows for easy open and close
- Wafer cushions are replaceable and securely retain the wafer to minimize particle generation.



PM600 and PM400
6" and 4" wafer shipper




PL600-256GR
5" or 6" Grip Ring shipper




PZT600-41125GR
Film Frame Shipper for
150mm wafers


Wafer Shippers



D9206-5
5" wafer shipper



D9206-5
6" wafer shipper



D9208-8
8" wafer shipper


Available with antistatic polyurethane foam and antistatic Tyvek sheets.

Frame Shippers



GRB 200-AS (200mm)

Capacity 25
Overall Dimensions 291mm x 291mm x 308mm




GRB 300-AS (300mm)

Capacity 25
Overall Dimensions 409mm x 409mm x 420mm

- Box for storage and transport of wafer with frame
- Double pitch teeth allows accommodation of 13 wafers
- Box cover and bottom lock at five points
- Stackable

3" Wafer Shipper




Tac Carriers

Storage and transport case for the precision parts such as semiconductors, MEMS devices, lenses, electronic components



- Low outgassing non-silicone tack sheet immobilizes and protects the precision parts from impact. Tackiness is variable to be compatible with the shape size and weight of the devices of parts.
- Grid and matrix pattern can be changed, and your company logo can be imprinted.
- Detachable cover for process-to-process transport



Bernoulli Chuck






- Bernoulli Chuck provides strong lifting power by ejecting air utilizing the Bernoulli Law.
- Object is transferred by stable retaining force without contact or rotation.
- ESD safe acrylic resin guide rings are easily replaceable and available in various sizes.
- Light weight conductive nylon.
- One hand ON/OFF operation.
- Capable of handling wafer printed pattern on both sides, or thin wafer 50mm in thickness.
- Enhanced stability for horizontal wafer handling.
- Compatible with various protective papers, uneven surfaces, and air-passable mesh.
- Air ejected from the Bernoulli Chuck flows outward in all directions between the transparent guide ring and the wafer, preventing the wafer from rotating. The stable Bernoulli effect floats the wafer in the air and makes non-contact wafer transfer.
- 0.15 MPa air pressure compressor (not included)




Other Products

Chip Trays (multiple sizes available)



PFA carrier ID tags and buttons



ID75-01



IP05



PFA carrier with IDD Buttons

Material Information

With over 25 years of experience in plastics injection molding, Pozzetta has become a leader in bringing to market highly specialized materials to enhance the effectiveness of semiconductor handling devices. Our expertise with plastics makes Pozzetta a valuable resource to customers throughout the world as they seek to better their own products and increase yields.

Pozzetta is able to recognize the need to improve a process by understanding the changing technologies in the industry. As processes become more advanced, the critical need to enhance yields advances with it. Defects caused by outgassing or ESD events associated with plastic storage and handling devices must be mitigated. Pozzetta has the knowledge and the technology to defend against these unpredictable and potentially drastic results. Customers are able to work with Pozzetta to customize the solution that best fits their needs.





POZZETTA

MICRO CLEAN

Creating Clean Environments

Protect your critical parts by keeping them clean and free of particles. Using our cleaning technology and years of experience, we are focused on reducing particles for the semiconductor, microelectronics and medical industries.

PMC is an industry leader in the cleaning and recycling of photomask compacts, reticle cassettes, SMIF pods, and wafer containers of all types including Ultrapaks, FOSB (300mm), FOUPS, and other wafer storing and shipping devices.



Pozzetta Micro Clean is dedicated to providing superior cleaning services for your critical process containers. Using our cleaning technology and years of experience, we are focused on reducing particles for containers used in the semiconductor and microelectronics industries.

Contact
Pozzetta Micro Clean
3121 S Platte River Dr
Englewood, CO 80122
www.pozzettamicroclean.com
303.783.7901



POZZETTA

SPECIALTY SUPPLIES


Progressive Packaging Solutions

Pozzetta Specialty Supplies will source you packaging, warehouse, cleanroom and janitorial supplies needs. We also offer warehousing and fulfillment services.



Corrugated Boxes

Custom boxes
Stock Boxes
Printed Boxes
Bulk Containers
Partitions
Slip Sheets




Cushioning Materials

Bubble Wrap
Foam Wrap
Edge Protectors
Packing Newsprint



Envelopes

Mailing Envelopes
Jiffy Padded Envelopes
Packing List Envelopes



Tape

Carton Sealing
Cold Temperature
Double Sided
Masking Tape
Bag Sealing Tape
Tape Dispensers
Chart Tape



Labels

Direct Thermal Labels
Thermal Transfer labels
Fragile Labels
Warning/Caution Labels
Pressure Sensitive Labels
Do Not Stack labels



Janitorial Supplies

Bathroom Tissue
Facial Tissue
Town Dispensers
Hand Soaps/Dispensers
Roll Towels
Mops/Brooms/Buckets
Trash Cans
All Purpose Cleaners



Bonding

Poly Strapping
Steel Strapping
Clips
Buckets

Gloves

Latex Gloves
Nitrile Gloves
Latex Free Gloves
Vinyl Gloves



Industrial Films

Hand Stretch Wrap
Machine Stretch Wrap

Bags

Polyethylene
Polypropylene
Gaylord Liners
Gusseted Bags
Sealed Top Bags
Cleanroom Bag
Can Liners



Cleanroom Consumables

Wet Wipes
Dry Wipes
Nitrile Cleanroom Gloves
Mops/Mop Covers
Bouffant Caps
Shoe Cover
Beard Masks
Sticky Mats
Disposable Cleanroom Bags
Cleanroom labels

Pozzetta Specialty Supplies 3117 S Platte River Dr Englewood, CO 80122

303.783.7928

allison.cox@pozzetta.com

For ordering information, please contact:

Pozzetta Products
3121 S Platte River Dr
Englewood, CO 80122
3033783.3172
www.pozzetta.com
customerservice@pozzetta.com